

ISTRC

International Sports Turf Research Center

Aerification Displacement Chart

Tine Size	1.25" x 1.25" Centers	1.5" x 1.5" Centers	2.0" x 2.0" Centers	2.5" x 2.5" Centers	5" x 5" Centers
1/4" Hollow Tines	3.14%	2.18%	1.23%	0.79%	
3/8" Hollow Tines	7.07%	4.91%	2.76%	1.77%	
1/2" Hollow Tines	12.57%	8.73%	4.91%	3.14%	
5/8" Hollow Tines		13.64%	7.67%	4.91%	
5/8" Hollow Vertidrain					1.23%
3/4" Hollow Tines				7.07%	1.77%
3/4" Hollow Vertidrain					1.77%
1" Hollow Tines					3.14%
1" Hollow Vertidrain					3.14%
7/8" Drill & Fill (7" Ctrs)					1.23%
Graden Verticutter (15 Blades @ 1" Spacings)	<u>1mm Blade</u> 3.93%	<u>2mm Blade</u> 7.87%	<u>3mm Blade</u> 11.81%		

Note: 1/4" Quadtines remove as much material as Regular 1/2" Hollow Tines
 3/8" minimum for ease of topdressing fill if replacement of material is required
 For double aerification make two passes at approx. 37° (slightly less than 45°) to minimize overlap